



1
P1.02
LEVEL 2 PLUMBING PLAN
1/16" = 1'-0"



PLUMBING GENERAL NOTES:
 A. INDICATES TIE IN POINT. FIELD VERIFY EXACT TIE-IN CONNECTION POINT.

PLUMBING KEYED NOTES:
 ① 4" FLOOR DRAIN WITH NO P-TRAP.
 ② ALL EXTERIOR STORM DRAINS TO BE PROVIDED WITH HEAT TRACE AND 2" OF RIGID FIBERGLASS INSULATION WITH ALUMINUM JACKET.

Markup Legend (For DTC Pipe Replacement Project)
 Yellow Highlight: Branch piping subject to replacement.
 Green Highlight: Branch piping subject to replacement (Option 2)
 Pink Highlight: Branch piping subject to CIPP lining (Option 1)
 Blue Outline: Duluth Police Office (NO ACCESS)

LHB
 PERFORMANCE DRIVEN DESIGN.
 LHBcorp.com
 21 W. Superior St., Ste 500 | Duluth, MN 55802 | 218.727.8446

JAMAR
 JAMAR COMPANY
 4701 Mike Colalillo Drive
 Duluth, MN 55807
 Mechanical design/build
 (218) 628-1027
 (218) 628-1174 FAX
 www.jamarcompany.com

CLIENT:
 Duluth Transit Authority

2402 West Michigan Street
 Duluth, MN 55806

THIS SQUARE APPEARS 1/2"x1/2" ON FULL SIZE SHEETS

NO	DATE	ISSUED FOR
2	12-3-14	BID PACKAGE #5 - ADDENDUM #2
1	10-17-14	BID PACKAGE #5
NO	DATE	ISSUED FOR
3	8-26-15	ASI #18
NO	DATE	REVISION

I HEREBY CERTIFY that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Professional Engineer under the laws of the State of Minnesota.

Signature: *Brent A. Tomer*
 Typed or Printed Name: Brent A. Tomer
 Date: 8-26-15 Reg. No.: 44992

COPYRIGHT 2012 BY LHB, INC. ALL RIGHTS RESERVED.
 PROJECT NAME:
DTA - Multimodal Transportation Facility

228 West Michigan Street
 Duluth, MN 55802

DRAWING TITLE:
MTF LEVEL 2 PLUMBING PLAN

FILE: H14000 DTA Multimodal / Base
 DRAWN BY: DB
 CHECKED BY: BAT
 PROJ. NO: H14000
 DRAWING NO:

P1.02